

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Substance

**Product Name:** COAL TAR DISTILLATES

**CAS-No.:** 65996-92-1

**Synonyms:** Light Oil, Heavy Oil

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Chemical feedstock

### 1.3. Name, Address, and Telephone of the Responsible Party

Lone Star Specialty Products, LLC

6412 U.S. Highway 259 South

Lone Star, Texas USA 75668

Phone: (903)656-2536

Fax: (903)656-2151

### 1.4. Emergency Telephone Number

**Emergency Number:**

For Chemical Emergency Call CHEMTREC day or night

Within USA and Canada: 1.800.424.9300

Mexico: 1.800.681.9531

Outside USA and Canada: 1.703.527.3887 (collect calls accepted)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin Irrit. 2	H315
Skin Sens. 1	H317
Muta. 1B	H340
Carc. 1B	H350
Repr. 2	H361
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of hazard classes and H-statements: see section 16

### 2.2. Label Elements GHS-US

#### Labeling

**Hazard Pictograms (GHS-US):**



**Signal Word (GHS-US):**

Danger

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Hazard Statements (GHS-US):

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H340 - May cause genetic defects.  
H350 - May cause cancer.  
H361 - Suspected of damaging fertility or the unborn child.  
H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.

### Precautionary Statements (GHS-US):

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P261 - Avoid breathing vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Name: COAL TAR DISTILLATES

CAS-No.: 65996-92-1

Name	Synonyms	Product Identifier	%	GHS US classification
Distillates, coal tar	Coal tar distillate / Coal tar distillates / Coal tar distillates, flammable / Distillates (coal tar) / Distillates coal tar / Distillates (coal tar) - heavy anthracene oil	(CAS-No.) 65996-92-1	100	Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Contains	Synonyms	Product Identifier	%	GHS US classification
Naphthalene	Naphthalene, molten / Naphthalene, crude / Naphthalenes / Moth balls	(CAS-No.) 91-20-3	16.0 – 30.7	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Comb. Dust
Benzene	Benzol / Cyclohexatriene / benzole / Pyrobenzole / Benzine / Benzen / Coal naphtha / Pyrobenzol / Mineral naphtha / Phene / Phenyl hydride / Fenzen	(CAS-No.) 71-43-2	1.9 – 5.7	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 1B, H340 Carc. 1A, H350 STOT RE 1, H372 Aquatic Chronic 3, H412
Toluene	Methylbenzene / toluol / Phenylmethane / methacide / methylbenzol / Toluolo / 1- Methylbenzene	(CAS-No.) 108-88-3	2.6 – 3.5	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
Ethylbenzene	Phenylethane / Ethylbenzol / Aethylbenzol / Ethylenzene / Etilbenzene / Etylobenzen / 1- ethylbenzene	(CAS-No.) 100-41-4	0.5 – 0.8	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Acute Tox. 4, H332 STOT RE 2, H373
p-Xylene	1,4-Dimethylbenzene / Para- Xylene / 1,4-Xylene / p- Methyltoluene / p- Dimethylbenzene / p-Xylol / 4- Xylene / 4-Methyltoluene / Chromar / Scintillar / 1,4- Dimethylbenzol / paraxylene	(CAS-No.) 106-42-3	1.2 – 2.3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412
m-Xylene	1,3-Dimethylbenzene / 1,3-Xylene / meta-Xylene / m-Xylol / m- Dimethylbenzene / m- Methyltoluene / 3-Xylene / 1,3- Dimethylbenzol / Santosol 150 / m-Xylenes / 2,4--Xylene	(CAS-No.) 108-38-3	1.2 – 2.3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312 Skin Irrit. 2, H312 Eye Dam. 1, H315 Eye Irrit. 2, H318 Acute Tox. 4, H319 STOT SE 3, H332 / H335
o-Xylene	1,2-Dimethylbenzene / 1,2-Xylene / Ortho-Xylene / o-Xylol / o- Methyltoluene / 2-Xylene / o- Dimehtylbenzene / 3,4-Xylene / 1,2-Dimethylbenzol / o-Xylenes / Dimethylbenzene / 2- Methyltoluene / orthoxylene	(CAS-No.) 95-47-6	0.8 – 1.8	Flam. Liq. 2, H225 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312 + H332 Skin Irrit. 2, H312 Eye Irrit. 2, H319

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

				Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412
Styrene	Ethenylbenzene / Vinylbenzene / Phenylethylene / Styrol / Cinnamene / Phenylethene / Styrolene / Phenethylene / Styrene monomer / Vinylbenzol / Vinyl benzene / Styropol SO / Styren / Styrole / Stirolo / Styreen / Cinnamenol / Cinnamol / Annamene	(CAS-No.) 100-42-5	1.6 – 2.5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, 315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 Repr. 2, H361 STOT RE 1, H372 Aquatic Chronic 3, H412
3-Ethyltoluene	1-Methyl-3-ethylbenzene / m-Ethylmethylbenzene / m-Methylethylbenzene / Toluene, m-ethyl- / 3-Methylethylbenzene / 3-Ethyl-d5-toluene / 1-Ethyl-3-methyl-benzene	(CAS-No.) 620-14-4	0.5 – 1.1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411
1,3,5-Trimethylbenzene	Mesitylene / sym-Trimethylbenzene / 3,5-Dimethyltoluene / Fleet-X / Trimethylbenzol / s-Trimethylbenzene / 2,4,6-trimethylbenzene	(CAS-No.) 108-67-8	0.8 – 1.7	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411
Benzofuran	2,3-Benzofuran / Coumarone / 1-Benzofuran / Benzo(b)furan / Coumarone / Benzofurfuran / Coumaron / 1-Oxidene / 1-Oxidene / venzo(b)furane	(CAS-No.) 271-89-6	2.4 – 7.7	Flam. Liq. 3, H226 Carc. 2, H351 Aquatic Chronic 3, H412
1,2,3-Trimethylbenzene	Hemimellitene / Trimethylbenzene / Hemellitol / Hemimellitol / 1,3-Trimethylbenzene / Hemimellitene, 90.5% / Trimethylbenzene / 1,3-Trimethylbenzene, 90.5% / Trimethylbenzenes	(CAS-No.) 526-73-8	3.3 – 7.0	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE3, H335 STOT RE 2, H373
Indane	Indan / 2,3-Dihydro-1H-indene / Hydrindene / 1H-Indene, 2,3-dihydro- / Benzocyclopentane / 2,3-Dihydroindene / 1,2-Hydrindene / Hydrindonaphtene	(CAS-No.) 496-11-7	2.7 – 4.4	Flam. Liq. 3, H226 Asp. Tox. 1, H304

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,2,4-Trimethylbenzene	Pseudocumene / Pseudocumol / Psi-cumene / as-Trimethylbenzene / 1,3,4-Trimethylbenzene / Unstrimethylbenzene / 1,2,5-Trimethylbenzene / Asymmetrical trimethylbenzene / pseudocumene	(CAS-No.) 95-63-6	2.4 – 7.7	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 2, H411
Indene	1H-Indene / Indonaphthene / Inden	(CAS-No.) 95-13-6	12.1 – 27.4	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Phenol	Carbolic acid / Hydroxybenzene / Phenic acid / Oxybenzene / Benzenol / Phenylic acid / Phenylic alcohol / Monophenol / Phenyl hydrate / Phenyl hydroxide / Monohydroxybenzene / Paoscle / Phenole / Izal / Phenyl alcohol / Phenol alcohol	(CAS-No.) 108-95-2	2.8 – 5.4	Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 3, H331 Muta. 2, H341 STOT RE 2, H373 Aquatic Chronic 2, H411
o-Cresol	2-Methylphenol / Orthocresol / 2-hydroxytoluene / 2-Cresol / o-methylphenol / o-Cresylic acid / o-Oxytoluene / o-Toluol / 1-Hydroxy-2methylbenzene / orthocresol / o-Hydroxytoluene / o-Methylphenylol / o-Kresol	(CAS-No.) 95-48-7	1.8 – 3.4	Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314
p-Cresol	4-methylphenol / 4-Cresol / 4-Hydroxytoluene / p-Methylphenol / para-Cresol / p-Hydroxytoluene / p-Tolyl alcohol / p-Kresol / p-Oxytoluene / p-Toluol / p-Cresylic acid / 1-Hydroxy-4-methylbenzene / Paracresol / p-Methylhydroxy benzene / 1-Methyl-4-hydroxybenzene / Paramethyl phenol / para-Cresylic acid / 4-methyl phenol	(CAS-No.) 106-44-5	2.3 – 4.1	Acute Tox. 3, H301 + H311 Acute Tox. 3, H301 Skin Corr. 1B, H311 / H314 Aquatic Chronic 3, H412
m-Cresol	3-methylphenol / Metracresol / Phenol, 3-methyl- / meta-cresol / 3-cresol / 3-hydroxytoluene / m-methylphenol m-kresol / m-cresylic acid / 1-hydroxy-3-methylbenzene / m-oxytoluene / m-toluol / m-Hydroxytoluene meta-cresylic acid / 1-Methyl-3-hydroxybenzene	(CAS-No.) 108-39-4	2.3 – 4.1	Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Aquatic Chronic 3, H412
2,4-Xylenol	2,4-Dimethylphenol / m-Xylenol / Phenol, 2,4-dimethyl- / Gallex / 4,6-Dimethylphenol / 1-Hydroxy-2,4-dimethylbenzene / 4-Hydroxy-1,3-dimethylbenzene	(CAS-No.) 105-67-9	0.9 – 1.7	Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 2, H411

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Quinoline	1-Benzazine / 1-Azanaphthalene / Chinolin / Chinoleine / Chinoline / Quinolin / Leucol / Leukol / Benzopyridine / 2,3-Benzopyridine / Benzo(b)pyridine / 1-Benzine / Quinoline-3-D / Quinoline-4-D / Quinoline-5-D / Quinoline-6-D / Quinoline-7-D / Quinoline-8-D	(CAS-No.) 106-44-5	91-22-5	Acute Tox. 3, H301 Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 2, H411
-----------	--	--------------------	---------	---

Full text of H-phrases: see section 16.

### 3.2. Mixture

Not applicable

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. If exposed or concerned: Get medical advice/attention. In molten form: . Cool skin rapidly with cold water after contact with molten product. Removal of solidified molten material from skin requires medical assistance.

**First-aid Measures After Eye Contact:** Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention. In molten form: . Protect skin and eyes from contact with molten material. Removal of solidified molten material from the eyes requires medical assistance.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** May cause cancer. Suspected of damaging fertility or the unborn child. Skin sensitization. Causes skin irritation. May cause genetic defects. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Causes photosensitization, dermatitis, defatting, chronic tar dermatosis, tar or pitch warts, chronic melanosis, folliculitis, and pitch acne.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture Fire

**Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides. Polycyclic-aromatic hydrocarbons (PAH): Benzo[a]pyrene (BaP). Nitrogen oxides. Smoke.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Where possible allow molten material to solidify naturally.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Spills should be cleaned up immediately and placed in approved containers. For small molten spills, allow product to cool and remove as a solid. Use cautious judgement when cleaning up large molten spills. Wear personal protective equipment as appropriate, shut off source of leak if safe to do so, dike and contain molten material, and collect in approved containers for disposal in accordance with federal, state, and local regulations.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Elevated temperatures: Coal tar pitch may generate vapors that may ignite in the presence of air and a source of ignition. Burning may emit hazardous fumes/vapors which can form flammable/explosive mixtures in air. Upon burning, coal may produce coal tar pitch volatiles including PAH's. Coal tar pitch is classified by IARC as a group 1 carcinogen - carcinogenic to humans.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not handle until all safety precautions have been read and understood. Do not breathe mist, spray, vapors. Obtain special instructions before use. Do not get in eyes, on skin, or on clothing.

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities Technical

**Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. **Incompatible Materials:** Oxidizers.

### 7.3. Specific End Use(s) Chemical feedstock

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Naphthalene (91-20-3)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA ACGIH	Biological Exposure Indices (BEI)	Parameter: 1-Naphthol with hydrolysis plus 2-Naphthol with hydrolysis - Sampling time: end of shift (nonquantitative, nonspecific)
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m <sup>3</sup> )	75 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
USA IDLH	US IDLH (ppm)	250 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm


### 8.2. Exposure Controls

#### Appropriate Engineering Controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

#### Personal Protective Equipment:

Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing:

Chemically resistant materials and fabrics.

#### Hand Protection:

Wear protective gloves.

#### Eye and Face Protection:

Chemical safety goggles.

#### Skin and Body Protection:

Wear suitable protective clothing.

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Respiratory Protection:</b>	If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
<b>Other Information:</b>	When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

<b>Physical State:</b>	Liquid
<b>Appearance:</b>	Dark brown to black
<b>Odor:</b>	Sharp, aromatic, wood-like
<b>Odor Threshold:</b>	No data available
<b>pH:</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Melting Point:</b>	No data available
<b>Freezing Point:</b>	No data available
<b>Boiling Point:</b>	295 – 453 °C (563 – 847.4 °F)
<b>Flash Point:</b>	96 °C (204.8 °F) PMCC
<b>Auto-ignition Temperature:</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Flammability (solid, gas):</b>	Not applicable
<b>Vapor Pressure:</b>	No data available
<b>Relative Vapor Density at 20°C:</b>	No data available
<b>Relative Density:</b>	No data available
<b>Solubility:</b>	No data available
<b>Partition Coefficient: N-Octanol/Water:</b>	No data available
<b>Viscosity:</b>	No data available

### 9.2. Other Information: No additional information available

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Oxidizers.
- 10.6. Hazardous Decomposition Products:** Not expected to decompose under ambient conditions.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

Naphthalene (91-20-3)	
LD50 Oral Rat	533 – 710 mg/kg
LC50 Inhalation Rat	> 340 mg/m <sup>3</sup> (Exposure time: 1 h)

**Skin Corrosion/Irritation:** Causes skin irritation.

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** May cause genetic defects. **Carcinogenicity:** May cause cancer.

Naphthalene (91-20-3)	
IARC group	2B
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child. **Specific Target Organ Toxicity (Single Exposure):** Not classified

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes. Risk of thermal burns on contact with molten product.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** Causes photosensitization, dermatitis, defatting, chronic tar dermatosis, tar or pitch warts, chronic melanosis, folliculitis, and pitch acne.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General:** Very toxic to aquatic life with long lasting effects.

Naphthalene (91-20-3)	
LC50 Fish 1	5.74 – 6.44 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flowthrough])
EC50 Daphnia 1	2.16 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 2	1.96 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])

### 12.2. Persistence and Degradability

COAL TAR DISTILLATES (65996-92-1)	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative Potential

COAL TAR DISTILLATES (65996-92-1)	
Bioaccumulative Potential	Not established.

Naphthalene (91-20-3)	
BCF Fish 1	30 – 430
Partition coefficient n-octanol/water (Log Pow)	3.6

**12.4. Mobility in Soil:** No additional information available

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Distillates, coal tar; Naphthalene)

**Hazard Class:** 9

**Identification Number:** UN3082



**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates, coal tar; Naphthalene)

**Hazard Class:** 9

**Identification Number:** UN3082

**Packing Group:** III

**Label Codes:** 9

**Marine Pollutant** Marine pollutant

**ERG Number** 171

### 14.2. In Accordance with IMDG

**Label Codes:** 9

**EmS-No. (Fire):** F-A

**EmS-No. (Spillage):** S-F



**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates, coal tar; Naphthalene)

**Packing Group:** III

**Marine Pollutant:** Marine pollutant

### 14.3. In Accordance with IATA

**Identification Number:** UN3082

**Hazard Class:** 9

**Label Codes:** 9



**ERG Code (IATA)** 9L

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

COAL TAR DISTILLATES (65996-92-1)

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SARA Section 311/312 Hazard Classes</b>	Health hazard - Carcinogenicity Health hazard - Reproductive toxicity Health hazard - Respiratory or skin sensitization Health hazard - Skin corrosion or Irritation Health hazard - Germ cell mutagenicity
--	---

<b>Distillates, coal tar (65996-92-1)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory

<b>Naphthalene (91-20-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	0.1 %

<b>Benzene (71-43-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	10 lb
<b>SARA Section 313 - Emission Reporting</b>	0.1 %

<b>Toluene (108-88-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1,000 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

<b>Ethylbenzene (100-41-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1,000 lb
<b>SARA Section 313 - Emission Reporting</b>	0.1 %

<b>p-Xylene (106-42-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>m-Xylene (108-38-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1,000 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

<b>o-Xylene (95-47-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1,000 lb
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

<b>Styrene (100-42-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1,000 lb
<b>SARA Section 313 - Emission Reporting</b>	0.1 %

<b>1,3,5-Trimethylbenzene (108-67-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	100 lb
<b>SARA Section 313 - Emission Reporting</b>	0.1 %

<b>Benzofuran (271-89-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

<b>1,2,3-Trimethylbenzene (526-73-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

<b>Indane (496-11-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

<b>1,2,4-Trimethylbenzene (95-63-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>SARA Section 313 - Emission Reporting</b>	1.0 %

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Indene (95-13-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Phenol (108-95-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	1,000 lb
-----------	----------

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

### o-Cresol (95-48-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
-----------	--------

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

### p-Cresol (106-44-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
-----------	--------

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

### m-Cresol (108-39-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
-----------	--------

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

### 2,4-Xylenol (105-67-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	100 lb
-----------	--------

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

### Quinoline (91-22-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ	5,000 lb
-----------	----------

SARA Section 313 - Emission Reporting	0.1 %
---------------------------------------	-------

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.2. US State Regulations

#### Naphthalene (91-20-3)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S.  
- Pennsylvania - RTK (Right to Know) List

#### California Proposition 65



**WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Naphthalene (91-20-3)	X			

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision:** 06/04/2024

**Other Information:** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

#### GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Carc. 1B	Carcinogenicity Category 1B
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Flam. Sol. 2	Flammable solids Category 2
Muta. 1B	Germ cell mutagenicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H228	Flammable solid
H301	Toxic if swallowed

# COAL TAR DISTILLATES

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)